

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): A ~~compact~~ cellular phone including first and second in  
which a pair of housings, forming a pair of housings, formed in an approximate flat shape  
is foldedably upon each other when the cellular phone is closed ~~connected by using a~~  
~~hinge~~, said ~~compact~~ cellular phone comprising: two planar antennas disposed  
within ~~provided to~~ said pair of housings, respectively, so that a surface having the greatest  
directivity ~~a highly sensitive surface~~ of each of said two planar antennas is directed  
outward when in a state in which said ~~compact~~ cellular phone is closed.

2. (currently amended): The ~~compact~~ cellular phone according to claim 1,  
wherein an interval between said two planar antennas disposed within ~~provided to~~ said  
pair of housings is equal to or wider than a width of a human palm when said ~~in a state in~~  
~~which said compact~~ cellular phone is open.

3. (currently amended): The ~~compact~~ cellular phone according to claim 1,  
wherein said two planar antennas are disposed at an ~~provided~~ outermost position inside  
said pair of housings, respectively, when in a state in which said ~~compact~~ cellular phone is  
closed.

4. (currently amended): The ~~compact~~ cellular phone according to claim 1, wherein said two planar antennas are two planar inverse F-type antennas or two patch antennas.

5. (currently amended): The ~~compact~~ cellular phone according to claim 1, wherein when said ~~compact~~ cellular phone is used while being closed in a waiting state, both of said two planar antennas or either one of said two planar antennas is used to send or receive, and when said compact cellular phone is used while being open in a communication state, one of said two planar antennas, which has the better transmission state, is selected to send and receive.

6. (currently amended): The ~~compact~~ cellular phone according to claim 5, wherein by detecting and evaluating an impedance change and a physical quantity of a reflective wave caused by said impedance change on an electric-power transmission path provided inside said ~~compact~~-cellular phone, one of said two planar antennas, which has preferred transmission characteristics, is determined, selected, and ~~then~~-used.

7. (currently amended): The ~~compact~~ cellular phone according to claim 2, wherein said two planar antennas are disposed at an provided-outmost position inside

said pair of housings, respectively, ~~when in a state in which~~ said compact-cellular phone is closed.

8. (currently amended): The ~~compact~~ cellular phone according to claim 2, wherein said two planar antennas are two planar inverse F-type antennas or two patch antennas.

9. (currently amended): The ~~compact~~-cellular phone according to claim 2, wherein when said ~~compact~~ cellular phone is used while being closed in a waiting state, both of said two planar antennas or either one of said two planar antennas is used to send or receive, and when said compact cellular phone is used while being open in a communication state, one of said two planar antennas, which has the better transmission state, is selected to send and receive.

10. (currently amended): The ~~compact~~ cellular phone according to claim 9, wherein by detecting and evaluating an impedance change and a physical quantity of a reflective wave caused by said impedance change on an electric-power transmission path provided inside said compact cellular phone, one of said two planar antennas, which has preferred transmission characteristics, is determined, selected, and ~~then~~ used.

11. (new): The cellular phone according to claim 1, wherein an interval between said two planar antennas disposed within said pair of housings is at least three inches when said cellular phone is open.